



Topeka Metropolitan Transit Authority
201 North Kansas Avenue
Topeka, KS 66603
Attn: Richard Appelhanz
785-730-8621
rappelhanz@topekametro.org

Dear Mr. Appelhanz,

Cincinnati Lift Truck & Battery Services LLC (Cincy Lift) is pleased to provide our response to RFB TO-24-09.

For more than fifteen (15) years, Cincy Lift has sold, serviced, repaired, and maintained Material Handling Equipment including Forklifts, Scissor Lifts, Pallet Jacks, Overhead Doors, Storage Racking, and Dock Levelers/Shelters/Locks/EODs, etc.

To meet your requirements for this opportunity, we are quoting a unit that is known to perform well and comes at a reasonable price point.

NOBLELIFT SC2632EN Warranty: 12 Month / 2000 hour \$19,738.00

Our price includes delivery from our warehouse in Chicago and we anticipate delivery to be 2-3 weeks post award.

We hope to add Topeka Metro to our great list of clients who still appreciate high levels of customer service. Should you wish to speak with a few folks about our 'concierge-like' support, please feel free to reach out to:

Fit for Life	Jeff Drury	513-368-0198
Milliken Millworks	Jay Portness	513-316-5198
Signature Hardware	Kate Knock	859-394-2453

I am here to answer any questions you may have and can be reached directly at 513-905-5754.

Sincerely,

A handwritten signature in black ink, appearing to read "C. Deskins".

Chuck Deskins
Business Development Leader

PRICE QUOTE

Proposer _____

SCISSOR LIFT AERIAL WORK PLATFORM

Scissor Lift Aerial Work Platform	\$ <u>19,738⁰⁰</u>
Freight	\$ <u>INCLUDED</u>
Other Costs	\$ <u>0</u>
_____	\$ _____
_____	\$ _____
_____	\$ _____
_____	\$ _____
_____	\$ _____
<u>Total Cost</u>	\$ <u>19,738⁰⁰</u>

Warranty Information

12 ~~YEAR~~ MONTHS OR 2,000 hours

Estimated Delivery Date 2-3 WEEKS

Topeka Metro is tax exempt. Do not include sales tax in your proposed price.


COVER SHEET

Proposer Information

Company Name Cincinnati Lift Truck & Battery Service LLC _____
Address 7685 St Rt 48 Suite 5 _____
City, State, Zip Maineville, OH 45039 _____
Main Phone 513-444-7502 _____

Contact Person Information

Name Chuck Deskins _____
Job Title Business Development Leader _____
Phone 513-516-5535 _____
Alt. Phone _____
Email chuck@cincylifttruck.com

Signature  _____

Date: 05-22-24

DISADVANTAGED BUSINESS ENTERPRISES (DBE) CERTIFICATION

This contract is subject to the requirements of Title 49, Code of Federal Regulations, Part 26, *Participation by Disadvantaged Business Enterprises in Department of Transportation Financial Assistance Programs*. The national goal for participation of Disadvantaged Business Enterprises (DBE) is 10%. Metro's overall 2022-2024 goal for DBE participation is 1.62%; the race neutral goal is 1.25%, and the race conscious goal is 0.37%. There is no contract goal for this procurement.

The contractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of this DOT-assisted contract. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as Metro deems appropriate. Each subcontract the contractor signs with a subcontractor must include the assurance in this paragraph (see 49 CFR 26.13(b)).

The contractor is required to pay its subcontractors performing work related to this contract for satisfactory performance of that work no later than 30 days after the contractor's receipt of payment for that work from Metro.

The contractor may not hold retainage from its subcontractors.

The contractor must promptly notify Metro, whenever a DBE subcontractor performing work related to this contract is terminated or fails to complete its work, and must make good faith efforts to engage another DBE subcontractor to perform at least the same amount of work. The contractor may not terminate any DBE subcontractor and perform that work through its own forces or those of an affiliate without prior written consent of Metro.

Signature: 

Name and Title: CHUCK DESKINS BUS DEV LEADER

Company Name: CINCINNATI LIFT TRUCK & BATTERY SERVICES LLC

Date: 5-22-24

LOBBYING CERTIFICATION

The undersigned contractor certifies, to the best of his or her knowledge and belief, that:

(1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement.

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for making lobbying contacts to an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan or cooperative agreement, the undersigned shall complete and submit Standard Form LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions. See 49 CFR 20.100.

(3) The undersigned shall require that the language of this certification be included in the award documents for all sub-awards at all tiers (including subcontracts, sub-grants, and contracts under grants, loans, and cooperative agreements) and that all sub-recipients shall certify and disclose accordingly. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 USC. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure. [Note: Pursuant to 31 USC 1352(c)(1)-(2)(A), any person who makes a prohibited expenditure or fails to file or amend a required certification or disclosure form shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such expenditure or failure. See 49 CFR 20.400.]

The undersigned contractor certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the Contractor understands and agrees that the provisions of 31 USC 3801, et seq, apply to this certification and disclosure, if any.

Signature: 

Name and Title: CHUCK DESKINS BUS DEV LEADER

Company Name: CINCINNATI LIFT TRUCK & BATTERY SERVICES LLC

Date: 5-22-24

NON-COLLUSION CERTIFICATION

This is my sworn statement to certify that this proposal was not made in the interest of or on behalf of any undisclosed entity. This proposal is not collusive.

This proposer has not been a party to any agreement or collusion in restraint of freedom of competition by agreement to bid a fixed price, to refrain from bidding, or otherwise. This proposer has not, directly or indirectly, by agreement, communication or conference with anyone, attempted to induce action prejudicial to the interest of Topeka Metropolitan Transit Authority, or of any proposer, or anyone else interested in the proposed contract.

Signature: 

Name and Title: CHUCK DESKINS BUS DEV LEADER

Company Name: CINCINNATI LIFT TRUCK & BATTERY SERVICES LLC

Date: 5-22-24

SUSPENSION / DEBARMENT CERTIFICATION


In regard to 2 CFR Parts 180 and 1200

In accordance with 2 CFR Parts 180 and 1200, the contractor is required to verify that none of its principals or affiliates:

- 1) is included on the federal government's suspended and debarred list;
- 2) is proposed for debarment, declared ineligible, voluntarily excluded or disqualified;
- 3) within three years preceding this proposal, has been convicted of or had a civil judgment rendered against them for (a) commission of fraud or criminal offense pertaining to performing a public transaction, (b) violation of any federal or state antitrust statute, or (c) embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
- 4) is indicted or charged by a governmental entity for any of the charges in 3) above; and
- 5) has had any public transaction terminated for cause or default within three years preceding this proposal.

The contractor is required to include this requirement in any subcontracts related to this contract.

By signing and submitting its proposal, the proposer certifies that the certification in this clause is a material representation of fact relied upon by Metro. If it is later determined that the proposer knowingly rendered an erroneous certification, in addition to remedies available to Metro, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The proposer agrees to verify that none of its principals or affiliates is included on the federal government's suspended and debarred list at any time throughout the period of this contract. The proposer further agrees to include a provision requiring the same compliance in its subcontracts related to this contract.

Signature: 

Name and Title: CHUCK DESKINS BUS DEV LEADER


Company Name: CINCINNATI LIFT TRUCK & BATTERY SERVICES LLC

Date: 5-22-24

ELECTRIC

SC SERIES

500 - 700 lbs. Capacity
Electric Scissor Lifts



Why choose between price and quality **WHEN YOU CAN HAVE BOTH!**



HIGHLIGHTS

- ▶ Drive at full height
- ▶ Proportional lift and drive controls
- ▶ Dual front-wheel drive
- ▶ Small turning radius
- ▶ 25% gradeability
- ▶ Front wheel hydraulic dynamic braking
- ▶ Built-in extension platform
- ▶ AC power to platform
- ▶ Airline to platform
- ▶ Solid non-marking tires
- ▶ Swing-out component trays allow for easy access and maintenance
- ▶ On-board diagnostic system
- ▶ Pothole protection system
- ▶ ANSI A92.20
- ▶ Lanyard attachment points
- ▶ Tilt level sensor with audible alarm
- ▶ Overload sensor
- ▶ Descent and motion alarm
- ▶ Dual flashing beacons
- ▶ Electric horn
- ▶ And many other safety features

SC SERIES

500 - 700 lbs. Capacity

Electric Scissor Lifts

SC Series Electric Scissor Lifts have a compact footprint and are designed for optimal performance, increased productivity and ease of maintenance. Operators can drive, steer and lift directly from the platform, at any height, to achieve continuous operation. These scissor lifts offer load capacities of 500 to 700lbs and maximum working heights from 19 to 39.3 feet. Work quieter and safer with NOBLELIFT indoor/outdoor, zero-emission, low maintenance scissor lifts.

HIGH PRODUCTIVITY & PERFORMANCE



Proportional control handle for lifting and traveling ensures smooth operation.



Built-in extension platform provides a larger working area and allows the operator to work over obstacles.



Full height travel is convenient and greatly improves productivity. Traveling speed automatically slows down in a lifted position to ensure safe operation.



HIGH PRODUCTIVITY & PERFORMANCE



Integrated control panel is located on the chassis for easy operation.



Joystick and controls are portable and allow users to easily operate outside the platform.



AC Power box on platform provides power for power tools.



Dual Front wheel drive and steering provides a small turning radius for operation in narrow spaces.



Durable non-marking tires repel debris and greatly decrease floor marking.



Foldable rails allow the scissor lift to go through areas with height limitations.



Fork pockets and crane pick-up points allow easy loading and unloading when no dock is available.



Main power switch will cut off the power, avoiding battery discharge, while being stored.



Charging protection system protects battery and charger from overcharging damage.

INTELLIGENT. SAFE. RELIABLE.



Emergency lowering system brings operator to the ground safely if power is lost.



Pothole protection system automatically engages while operating in a lifted position.



Front wheel hydraulic dynamic braking eliminates sliding while working on slopes.




Safety maintenance support bar ensures safety during maintenance.



Self-locking platform door for operator safety.



Dual flashing beacons alert pedestrians during operation.



Horn and motion buzzer serve as motion alarms.




Emergency stop buttons at both platform and ground controls.



In compartment manual storage meets OSHA requirements.

EASE OF MAINTENANCE



Swing-out component trays allow for easy access and maintenance.






On-board diagnostic system provides easy troubleshooting and maintenance.



Hour meter displays data to perform periodic maintenance at the proper intervals.

Specifications				
	SC1930EC	SC2632EN	SC3345E	SC3945E
Safe working load	507 lbs	507 lbs	705 lbs	705 lbs
Safe working load on extension	249 lbs	249 lbs	249 lbs	249 lbs
Maximum workers number (indoor)	2	2	2	3
Minimum workers number (outdoor)	1	/	1	/
Maximum working height H2	26 ft	32 ft	39 ft	46 ft
Maximum platform floor height H1	19 ft	26 ft	33 ft	39 ft
Overall length	6 ft 2.2 in	8 ft 1.6 in	8 ft 1.6 in	8 ft 1.6 in
Overall length (without ladder) L1	/	/	/	/
Overall width W1	2 ft 3.9 in	2 ft 8 in	3 ft 9 in	3 ft 9 in
Overall height (rails up) H4	7 ft 1.8 in	7 ft 9 in	8 ft	8 ft 5.6 in
Overall height (rails down) H3	5 ft 10 in	6 ft 4 in	6 ft 3.6 in	6 ft 8.3 in
Platform size (length/width)	66x29 in	89x32 in	89x44 in	89x44 in
Platform extension size	2 ft 11 in	2 ft 11 in	2 ft 11 in	2 ft 11 in
Ground clearance (lowered)	2.8 in	3.9 in	3.9 in	3.9 in
Ground clearance (raised)	0.6 in	0.7 in	0.7 in	0.7 in
Wheel base	4 ft 5.9 in	6 ft 1.6 in	6 ft 1.6 in	6 ft 1.6 in
Minimum turning radius (inside/outside)	5 ft 8.9 in	7 ft 2.6 in	8 ft 2.4 in	8 ft 2.4 in
Lifting motor	24V/2.0Kw	24V/3.3Kw	24V/4.5Kw	24V/4.5Kw
Drive motor	24V/0.5Kw	24V/3.3Kw	24V/4.5Kw	24V/4.5Kw
Travel speed (stowed)	2.8 mph	2 mph	2 mph	2 mph
Travel speed (raised)	0.5 mph	0.5 mph	0.5 mph <td 0.5 mph	
Up/Down time	23/32 sec	23/35 sec	48/48 sec	80/60 sec
Batteries	4x6V/220Ah	4x6V/232Ah	4x6V/232Ah	4x6V/280Ah
Integrated charger	24V/30A	24V/30A	24V/30A	24V/30A
Gradeability	25%	25%	25%	25%
Maximum working slope (indoor)	1.5°/3°	1.5°/3°	2°/3°	1.5°/3°
Tires	Ø12x4 in	Ø15x5 in	Ø15x5 in	Ø15x5 in
Total Weight	3,329 lbs	5,016 lbs	6,592 lbs	6,449 lbs



A GLOBAL LEADER

NOBLELIFT is a global leader in Lithium-ion Technology. We manufacture more than 200 categories and around 30 series of each product. Our products are designed to meet different application demands and are well accepted by our customers in more than 100 countries and regions in Europe, America, Asia, Africa and more.

Products include: sit-down forklifts, rough terrain forklifts, narrow aisle forklifts, walkie-stackers, order pickers, electric pallet trucks, scissor lifts, tuggers, scrubbers, lift tables, manual pallet jacks and more.



FORKLIFTS



NARROW AISLE



STACKERS



POWERED PALLET TRUCKS



SCISSOR LIFTS



TUGGERS



SCRUBBERS

NOBLELIFT
N O R T H A M E R I C A

2475 S. Wolf Road
Des Plaines, IL 60018
T: 847-595-7100
F: 847-595-7200
sales@nobeliftna.com
www.nobeliftna.com



Website

AUTHORIZED DEALER


CINCINNATI
**LIFT
TRUCK**
& BATTERY SERVICE